

# MA 18SP

Subwoofer 1700/3400W AES, (18"Nd Lf) 8Ohm, 137dB SPL



Aerodynamic bass-reflex passive subwoofer, 1700 W AES, 134dB SPL

## MAIN FEATURES

- Low frequency: 18" woofer/4.5"v.c.
- Frequency response: 30-150 Hz ( $\pm 3$ dB)
- High pressure on low frequencies in large indoor/outdoor venues
- Birch plywood enclosure

## TECHNICAL SPECIFICATION

### LOUDSPEAKER

- System type: passive subwoofer

### COMPONENTS

- Low frequency: 18" woofer/4.5"v.c.

### FEATURES

- AES/program power: 1700/3400 W
- SPL max: 134 dB @1m (free field)

### ACOUSTICAL SPECIFICATIONS

- Sensitivity: 97 dB @1W/1m (free field)
- Impedance: 8 Ohm
- SPL cont/peak: 128/134 dB @1m (free field)
- Frequency response: 35-150 Hz ( $\pm 3$ dB)
- Coverage angle HxV: ° omnidirectional
- Suggest LPF range: 80-150 Hz
- Recommended amplifier up to: 3400 W /8Ohm

### INPUT/OUTPUT CONNECTORS

- Input signal: Neutrik NL4 IN/OUT


### CABINET CONSTRUCTION

- Cabinet material: 18 mm birchplywood
- Suspension system: eyebolt, fly track, 35 mm pole mount
- Handles: 4 on side
- Hardware: 35 mm mounting pole

### PHYSICAL

- Dimensions (WxHxD): 615x6850x636 mm
- Weight: 51 kg

## TECHICAL DRAWINGS



Visit our website  
for specifications and  
tech documentations

